

ABOUT AKIJ DOOR

Akij Door, a door brand under the umbrella of Akij Particle Board Mills Limited (APBML), which is a division of the highly regarded AkijBashir Group. Since its establishment in 2001, the company has consistently delivered top-notch products in Bangladesh with a diverse range of doors, encompassing Wood Veneered Doors, PU Lacquered Doors, HPL Doors, Glass Punched Doors, Solid Wooden Doors, Lacquered Solid Panel Doors, Louver Doors, Door Frame and more.

The manufacturing of Akij doors involves the application of European technology and equipment that ensure best design and quality. We employ fully automatic seasoning system that utilizes a high-frequency vacuum dryer and KILN DRYER (KD). This system effectively reduces the moisture content by 10% to 12%, ensuring that the doors remain dimensionally stable in all seasons. Various carefully selected chemicals and processes are applied to ensure optimal adhesion, thickness, design, and strength. This comprehensive approach to the manufacturing process guarantees the longevity and durability of doors, meeting the highest standards of quality and performance.

Akij Door has a strong network of nationwide distribution systems that ensures swift and consistent door supply in accordance with customer requirements.

AKIJ PARTICLE BOARD MILLS LIMITED

CORPORATE HEAD OFFICE SIMPLETREE LIGHTHOUSE, PLOT 53, ROAD 21 BLOCK-B, KEMAL ATATURK AVENUE, BANANI DHAKA-1213, BANGLADESH

CONTACT: +88 01798 813 692 EMAIL: door@akijbashir.com



WHY AKIJ DOOR?



TERMITE AND BORER RESISTANT



APPROPRIATELY SEASONED TIMBER



STATE OF THE ART FACILITY



CUSTOMIZED SIZE



DURABLE



NO HARMFUL CHEMICAL



IMPRESSIVE Varieties



BEST QUALITY RAW MATERIALS

WOOD VENEERED PLAIN DOORS

EXQUISITELY AUTHENTIC AND COZY

If you appreciate creating a home environment with natural materials and high-quality finishes, and are also mindful of their origins, we are delighted to introduce our genuine and eco-conscious wood veneered collection to you!

WOOD VENEERED PLAIN DOORS DETAILS

Step into a world of timeless elegance with our Wood Veneered Doors, where craftsmanship meets innovation. Best selected Akij particle board is used as core that ensures durability. Each door is a masterpiece of artistry, showcasing a symphony of premium wood veneers precisely selected for their rich grain patterns and natural allure. Crafted with an artisan's touch, our doors undergo precision machining, ensuring a seamless blend of form and function. We take pride in our commitment to sustainability, responsibly sourcing materials to bring you doors that not only enhance your space but also contribute to a greener future.

Our doors tell a story of innovation, featuring cutting-edge technology that blend the warmth of wood with the reliability of a stable core. The result? Doors that stand the test of time, resisting warping or splitting. Dive into a world of personalization with our customizable designs, allowing you to infuse your unique style into every inch. Beyond aesthetics, our doors are engineered for stability, weathering environmental changes with grace.



STANDARD HEIGHT

82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM



WOOD VENEERED PLAIN DOORS







BURMA TEAK



GARJON



SUPER TEAK



CHAMP REGULAR



GOLDEN TEAK



TEAK RECON



RED OAK



DARK TEAK





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM















PROFESSIONAL PATTERN THAT EXPRESS YOUR PERSONALITY

Offering you a wide array of design doors that perfectly complement your style and personality, ensuring high-quality finishes. Allow us to present our impeccably designed collection of wood veneered doors!

WOOD VENEERED DESIGN DOORS DETAILS

Introducing our Wood Veneered Design Doors – a seamless blend of technical excellence and artistic finesse. Each door is a testament to the harmonious blend of craftsmanship and innovation, meticulously designed to transform your living spaces into captivating havens of style. The heart of these doors lies in the carefully selected premium wood veneers, chosen for their unique grain patterns and warm, inviting character. Our artisanal touch ensures that every detail, every curve, and every line tells a story of dedication and passion.

Crafted with an eye for precision, these doors feature cutting-edge technology that not only preserves the natural beauty of wood but also guarantees durability. Our commitment to sustainability shines through in responsibly sourced materials, allowing you to bring nature's charm into your home with a clear conscience. Dive into a world of personal expression with our customizable designs, enabling you to shape a door that mirrors your individual style and preferences.



STANDARD HEIGHT

82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM





PD - SUPER TEAK 01



PD - GARJON 02



PD - BURMA TEAK 03



PD - CHAMP REGULAR 04



PD - GOLDEN TEAK 05



PD - CROWN TEAK 06





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM

















PD - DARK TEAK 07



PD - TEAK RECON 08



PD - DARK TEAK 09



PD - 10



PD - 11



PD - 12



82 INCH & 81 INCH



STANDARD WIDTH



36 MM

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM

















POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM

















PD - 19



PD - 20



PD - 21



PD - 22



PD - 23



PD - 24





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM

















PD - 25



PD - 26



PD - 27



PD - 28



PD - 29



PD - 30



82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM



















PD - 35



PD - 36



PD - 37



PD - 38



PD - 39



STANDARD HEIGHT 82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM

















PD - 40



PD - 41



PD - 42



PD - 43



PD - 44



PD - 45





STANDARD WIDTH24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH,
39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM

















PD - 46



PD - 47



PD - 48



PD - 49



PD - 50



PD - 51



82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM

















PD - 52



PD - 53



PD - 54





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM















PU LACQUERED DOORS

REAL DESIGN CLASSICS PU Lacquered Doors from Akij introduce a refined sense of

elegance to your living room. PU lacquer ensures polished and glossy finish, enhancing the visual appeal of doors by creating a smooth and luxurious surface. Their timeless designs harmonize modern and classic furnishing styles decently.

PU LACQUERED DOORS DETAILS

PU Lacquered Doors from Akij Door, are the symphony of innovation, featuring a high- performance polyurethane lacquer that not only enhances their aesthetic appeal but also ensures long-lasting protection against daily wear and tear. Step into a space where beauty meets resilience as each door undergoes a meticulous lacquering process providing smooth finish that radiates elegance.

The heart of these doors lies in their technical expertise – the polyurethane lacquer forms a durable shield safeguarding the door's integrity and preserving its pristine appearance for years to come. This advanced coating not only adds a lustrous sheen to the surface but also makes a breeze allowing you to enjoy the beauty of your doors without hassle.

Cutting-edge technology is used in this lacquering process that ensures a realm of sophistication and durability.



STANDARD HEIGHT

82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM



PU LACQUERED DOORS



BURMA TEAK



CHAMP REGULAR



CROWN TEAK



GOLDEN TEAK



GARJON



TEAK REGULAR



SUPER TEAK



82 INCH & 81 INCH



24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH,

STANDARD WIDTH 39 INCH & 42 INCH



STANDARD THICKNESS 36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: 40 MM















HPL/FORMICA LAMINATED DOORS

WHERE STRENGTH MEETS ELEGANCE

High Pressure Laminate also known as HPL/ Formica Laminate, consist of decorative papers that are saturated with melamine resin, synthetic resin, or protective coatings. These doors are characterized by their durability, weather resistance, and low maintenance. HPL doors are versatile, available in a wide array of designs and finishes, providing customized options to suit diverse needs.

HPL/FORMICA LAMINATED DOORS DETAILS

High-Pressure Laminate (HPL) doors use a multi-step process to achieve their durability, strength, and aesthetic qualities. These doors not only add a touch of contemporary elegance by providing extensive array of colors, patterns, and textures options but also stand resilient against the demands of daily life. Immerse yourself in the endless possibilities of customization, as our doors offer a canvas for your personal style to flourish.

Crafted with precision, the formica laminate adds a layer of durability, making these doors resistant to moisture, humidity, scratches, stains and temperature variation. This door is suitable for both interior and exterior use in diverse climates. Due to their robust construction and resistance to wear, HPL doors often have a longer lifespan compared to other doors, providing a durable solution.



STANDARD HEIGHT

82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: 40 MM



HPL/FORMICA LAMINATED DOORS



HPL TERRA MAPLE



HPL TEAK



HPL OAK



HPL NOVEL TEAK



HPL SATURNO WALNUT



HPL BRUNO WALNUT





STANDARD WIDTH24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH,
39 INCH & 42 INCH

STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: 40 MM









GLASS PUNCHED DOORS

ILLUMINATE YOUR SPACE We effortlessly incorporate wood veneer

embellishments with appealing light apertures and glass panels. Whether you prefer clear or stained finishes or light openings adorned with lattice frames, our glass punched doors complement modern, rustic, and traditional living aesthetics.

GLASS PUNCHED DOORS DETAILS

Glass Punched Doors redefine sophistication, featuring punched glass panel that effortlessly blend aesthetics with functionality. The artistry lies in the details, as each glass create a harmonious play of light, offering a glimpse into the beauty that lies beyond.

Crafted with a keen eye for both form and function, our Glass Punched Doors offer a seamless integration of style and durability. The tempered glass panels not only bring an airy, open feel to your space but also provide enhanced safety and resilience. Experience the freedom to personalize your environment, as these doors offer a variety of patterns and designs to suit your unique taste and preferences.



STANDARD HEIGHT

82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM



GLASS PUNCHED DOORS



BURMA TEAK





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM

*** GLASS IS NOT PROVIDED WITH THE DOOR ***









SOLID WOODEN DOOR

SERENITY ALIGNS WITH SECURITY Solid Wooden Deer continuous through its simplicity and

Solid Wooden Door captivates through its simplicity and precise pattern of Mahogany timber. If you like real wood, you may look for a solid wooden door. This door is known for its durability, providing a sturdy and long-lasting option for entryways. The natural beauty of wood adds a timeless and warm aesthetic to any space.

SOLID WOODEN DOOR DETAILS

Akij Solid Wooden Door whispers tales of warmth and strength. Exactly crafted from selected natural wood, this door radiates a profound sense of warmth and authenticity that synthetic materials often struggle to emulate. The innate robustness of solid wood not only guarantees longevity but also offers an additional layer of security and insulation.

Its distinctive grain pattern and character empower homeowners to select a style that harmonizes seamlessly with its aesthetic preferences. Whether adorned with intricate carvings for a timeless allure or featuring minimalist designs for a contemporary touch, solid wooden door effortlessly blends functionality with aesthetics.

Beyond their pragmatic advantages, solid wooden door possesses a remarkable ability to elevate the overall ambiance of a room, fostering an atmosphere characterized by warmth, sophistication, and enduring elegance.



STANDARD HEIGHT

82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM



SOLID WOODEN DOOR



SOLID WOODEN DOOR (MAHOGANY TIMBER)





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM









SOLID PANEL DOORS LACQUERED

LACQUERED AND SOLID CRAFTSMANSHIP

The sleek, polished finish not only elevates the door's aesthetic charm but also establishes a safeguarding layer, protecting it from the rigors of daily use. Cloaked in glossy lacquer, Akij solid wooden door awaits poised to engage the senses.

SOLID PANEL DOORS LACQUERED DETAILS

Enter a realm of timeless allure and lasting excellence through our Solid Wooden Doors, where the craftsmanship's artistry melds seamlessly with the enduring strength of nature. Each door is a testament to the beauty of simplicity, showcasing the natural grains and textures that make solid wood truly special. Crafted with a dedication to excellence, our doors emanate a warmth that only real wood can provide, creating an inviting atmosphere in any space.

The technical features of these doors lies in the carefully selected, premium-grade solid wood that forms their core. Accurately crafted to exact specifications, these doors are not just entrances but expressions of the natural world, where each one is unique in its character.

Beyond their aesthetic appeal, these doors are engineered for durability and stability. The solid wood construction offers a robust and enduring solution, providing a sense of security and reliability. From classic designs to modern interpretations, our lacquered solid panel doors are a canvas for your personal style, offering versatility that transcends trends.



STANDARD HEIGHT

82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM



SOLID PANEL DOORS-LACQUERED







SPD - 02



SPD - 03





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM









SOLID PANEL DOORS-LACQUERED



SPD - 04



SPD - 05



SPD - 06





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM









SOLID PANEL DOORS-LACQUERED



SPD - 07



SPD - 08





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM









LOUVER DOORS

WHERE VENTILATION MEETS AESTHETICS

Akij Louver Doors are designed with slats or louvers, allowing for the passage of air and light while maintaining privacy by arranging parallel and horizontal blades. Louver doors are particularly suitable for spaces where ventilation is essential.

LOUVER DOORS DETAILS

Crafted with precision, our Louver Doors are designed to enhance airflow while maintaining privacy, making them an ideal choice for spaces that demand both comfort and style. The adjustable louvers allow you to personalize your environment, adapting to changing needs and moods throughout the day.

Behind the aesthetics lies a technical prowess that ensures longevity and ease of use. Our louver doors are constructed with durability in mind, utilizing high-quality materials and precise engineering for a reliable and robust solution. Experience the joy of effortless maintenance, as these doors are designed to stand up to the challenges of daily life.

Welcome a touch of versatility into your spaces with louver doors that embody the perfect combination of practicality and design. Elevate your living experience with doors that not only invite in the light but also create a seamless connection between indoor and outdoor spaces. Embrace the gentle elegance of louver doors, where the beauty of form meets the functionality of ventilation.



STANDARD HEIGHT

82 INCH & 81 INCH



STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM



LOUVER DOOR DETAILS



GOLDEN TEAK





STANDARD WIDTH

24 INCH, 27 INCH, 30 INCH, 33 INCH, 36 INCH, 39 INCH & 42 INCH



STANDARD THICKNESS

36 MM

POSSIBLE CUSTOMIZED DOOR SIZE: HEIGHT: 82 TO 95.5 INCH, WIDTH: 24 TO 47.5 INCH, THICKNESS: UPTO 40 MM





DOOR FRAME

FRAME THAT FITS EVERYWHERE Akij Door Frame provides strong and inviting foundation, creating a sense of security while harmonizing seamlessly with your interior. Faithfully finished, these frames are more than just structural elements, they're the visual and tactile connectors that define the transitions within your

living spaces.

DOOR FRAME DETAILS

Akij Door Frame supports and surrounds a door, recognized for their wooden strength. Chemically treated solid wood are used that are entirely free from termite, insect, white rot, borer etc.

Beyond its technical strength, engineered for easy installation and maintenance, our door frames are crafted to simplify the process of creating a welcoming entrance. Embrace the art of crafting a warm and inviting home with door frames that not only support but also enhance the beauty of every entrance. Akij door frames stand as a testament to the perfect balance between strength and aesthetics.



STANDARD HEIGHT

84 INCH



STANDARD WIDTH

24 INCH TO 42 INCH & 43 INCH TO 60 INCH



STANDARD CROSS SECTION

5.75 INCH X 2.25 INCH, 6 INCH X 2.25 INCH, 10.75 INCH X 2.25 INCH

POSSIBLE CUSTOMIZED FRAME SIZE: HEIGHT: 84 TO 96 INCH



DOOR FRAME



DOOR FRAME





STANDARD WIDTH 24 INCH TO 42 INCH & 43 INCH TO 60 INCH



STANDARD CROSS-SECTION

5.75 INCH X 2.25 INCH, 6 INCH X 2.25 INCH, 10.75 INCH X 2.25 INCH

POSSIBLE CUSTOMIZED FRAME SIZE: HEIGHT: 84 TO 96 INCH

DOOR FRAME SPECIFICATION



Wood Species Chemically treated Mahogany wood is entirely free from termite, insects, white rot, borer, etc.

A fully automatic high-frequency vacuum dryer & KILN DRYER (KD) is

Seasoning of Wood used to reduce moisture content by 10% to 12%; as a result, no dimensional change occurs in any season.

Corner JointDovetail joints are solid and effective at joining two pieces of wood at a right angle which is strictly followed.

Nail Two pieces of the 3-inch nail are used at each side to strengthen the joint.


Black Oxide

Black oxide is used outside the door frame to prevent moisture gain from the wall.

Shrinkage & Swelling

The moisture percentage is strictly controlled to make the Door Frame shrinkage and swelling-proof.

FLUSH DOOR FEATURES





Especially attractive appearance




Lightesistant



Heat-





LippingChemically treated and seasoned wood with automatic high frequency vacuum dryer & KILN DRYER (KD).

CoreAkij door features the carefully selected best Akij particle board as core, ensuring high durability through the utilization of imported thermosetting adhesive in Akij particle board.

durability through the dulization of imported thermosetting adhesive in Akij particle boar

Core Veneer 0.5/0.6 mm thick commercial grade wood veneer between surface and core, chemically treated to avoid borer attack.

0.5/0.6 mm thick Garjon/any hardwood veneer between surface and core.

Face Veneer

Superior grade of 0.30 mm thin face and back veneer of Burma Teak, Golden

Task Owen Task Owen Task Owen Teak Teak Owen and Owen as heath sides of the December 1.

Teak, Super Teak, Crown Teak, Teak Champ, and Garjon on both sides of the Door.

Adhesive

Thermosetting UF resin, antifungal, and anti-termite agents are used with the adhesive to protect the door against fungal and termite attacks.

Thickness Nominal thickness of Door: ±36 mm

Shrinkage & Swelling

The moisture percentage is strictly controlled to equilibrium moisture content

to make the door shrinkage and swelling proof.

Dimensional Tolerance on width and length shall be +/-1.0 mm, tolerance on thickness shall be +/-1.0 mm, and tolerance on squareness shall be 1.5 mm based on the

EN1529 standard.

After Sales Service

The company will provide after-sales technical services to all sorts of Akij Doors against any manufacturing fault.

AKIJ PARTICLE BOARD MILLS LIMITED

CORPORATE HEAD OFFICE
SIMPLETREE LIGHTHOUSE, PLOT 53, ROAD 21
BLOCK-B, KEMAL ATATURK AVENUE, BANANI
DHAKA-1213, BANGLADESH

PHONE: +88 09612 677 677 EMAIL: door@akijbashir.com

PLANT 1

TORA, GHIOR, MANIKGANJ, BANGLADESH

PLANT 2 AKIJ ECONOMIC ZONE, RAYMONI, TRISHAL, MYMENSINGH, BANGLADESH







AKIJ PARTICLE BOARD MILLS LTD.

SIMPLETREE LIGHTHOUSE, PLOT 53, ROAD 21 BLOCK-B, KEMAL ATATURK AVENUE, BANANI DHAKA-1213, BANGLADESH



